Additional file 1: Availability of services, equipment, supplies, protocols and registers /forms by health facility level.

Indicator (N= Total number of items)	Health facilities			
	All	Hospital	Level III	Level II
		and Level		
	N=20	IV N=2	N=6	N=12
Services availability (11)				
Skilled person to deliver present 24/7	15	2	6	7
Conduct normal deliveries	16	2	6	8
Newborn resuscitation	11	2	6	3
Kangaroo mother care (KMC)	6	2	4	0
Parenteral administration of antibiotics	17	2	5	10
Parenteral administration of oxytocic	11	2	5	4
Parenteral administration of anti convulsant	9	1	4	4
Assisted vaginal delivery	2	0	2	0
Manual removal of placenta	11	2	5	4
Manual removal of retained products	13	2	6	5
Provide corticosteroids for preterm labor	3	1	2	0
Service score for KMC and Resuscitation	42.5%	100%	83.3%	12.5%
Service availability mean score	47.5%	75%	70.8%	31.3%
Newborn equipment and supplies (7)				
Steriliser	15	2	5	8
Resuscitation table	6	1	4	1
Infant scale	13	2	6	5
Thermometer	13	1	5	7
Newborn mask	11	2	6	3
Nasal Gastric -tube for newborn	1	0	1	0
Canula for newborn	8	2	4	2
Newborn equipment and supplies mean	47.9%	71.4%	73.8%	30.9%
availability score				
Supplies in delivery room (3)				
Disinfectant	4	0	2	2
Sharps disposal box	18	2	6	10
Soap and hand washing	18	2	6	10
Supplies in delivery room mean availability	66.7%	66.7%	77.8%	61.1%
score				

Indicator (N= Total number of items)	Health facilities			
	All	Hospital	Level III N=6	Level II N=12
		and Level IV N=2		
	N=20			
Space for newborn services (2)				
Separate postnatal area from delivery room	14	2	6	6
Room for KMC or Integrated area for KMC	6	2	4	0
Space for newborn services mean	50.0%	100.0%	83.3%	25.0%
availability score				
Equipment /supplies in postnatal area (8)				
Newborn mask	3	0	2	1
Infant scale	3	0	2	1
Thermometer	4	0	2	2
Steriliser	4	0	2	2
Newborn Nasal Gastric tube	1	0	1	0
Newborn canula	2	0	1	1
Disinfectant	4	0	2	2
Sharp disposal	4	0	2	2
Equipment /supplies in postnatal area mean	15.6%	0%	29.2%	11.5%
availability score				
Maternal and newborn drugs (13)				
Oxytocin	8	2	6	2
Magnesium sulphate	6	2	4	0
Corticosteroid	5	1	4	0
Multivitamin syrup	2	0	1	1
Vitamin K	1	1	0	0
Intravenous drugs	12	2	6	4
50% Dextrose	8	2	5	1
Tetracycline ointment	16	2	6	8
Adrenaline	1	0	1	0
Phenorbabitone	6	2	4	0
PMTCT drug	10	2	6	2
Gentamycin	9	2	5	2
Ampicillin	4	1	3	0
Mean availability score for injectable	32.5%	75.0%	67.0%	8.0%
(gentamycin and ampicillin)				
Mean availability score for all drugs	33.8%	92.3%	65.4%	12.8%

Continued...

Indicator (N= Total number of items)	Health facilities			
	All	Hospital	Level III	Level II
		and Level		
	N=20	IV N=2	N=6	N=12
Protocols and guidelines (6)				
Emergency obstetric care (MOH)	1	0	1	0
Newborn Resuscitation (MOH)	7	1	3	3
Essential newborn care (MOH)	6	1	2	3
Newborn standards (MOH)	4	0	2	2
*IMPAC (WHO)	3	0	0	3
Management of preterm (MOH)	3	1	0	2
Protocol and guideline mean availability	20%	25%	19%	18%
score				
Register s and forms (8)				
Antenatal registers	18	2	6	10
Postnatal registers	15	1	6	8
Birth registers	15	1	6	8
Partographs	10	2	4	4
Immunisation cards	16	2	5	9
Discharge forms	2	0	2	0
Referral forms	6	1	2	3
Death certificates	2	1	1	0
Register and forms mean availability score	52.5%	62.5%	62.5	43.8%